Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

except that, on account of the hulls, oats and barley should be soaked longer.—E. A. SOUTHWORTH.

BOLLEY, HENRY L. *The Heterœcismal Pucciniæ.* American Monthly Microscopical Journal, Vol. X, 1889.

The author of this paper starts with a general account of the biology and classification of the *Uredineæ*, gives a short description of the internal arrangement of the order, as well as its position among the fungi, and a definition of *heterœcism*, ascribing as a cause "inherent wants of the parasite not to be satisfied by one of its hosts alone," rather than to any difficulty which the promycelia might find to an entrance into the host tissue. Taking up the mycelium, a short description is given, with a belief that there are no true haustoria, but that young mycelial threads, penetrating the cell walls, give the misleading appearance. The article treats of æcidia and spermogonia at some length, without, however, attempting to clear up the mystery of their designed use. Under the account of the teleutospore, a doubt is expressed in regard to the existence of the so-called germ-pores. The author finds in the process of germination, instead of the passage of a germ-tube through a previously formed canal, a gradual erosion of the endospore from within. In regard to the question of sexual or non-sexual reproduction in the order, the work of Dr. George Massee is criticised, claim being made that the stroma, which bears ultimately the æcidial spores, does not consist, as figured by the latter, of a stalked body, but of a mass of interlaced hyphæ—branches and extensions of ordinary hyphæ. In the cases studied by Mr. Bolley *Æ. berberidis* and *Æ. hepaticarum*, the basidia arise as bud-like branches from individual hyphæ without any characteristics of a sexual process, and the author coincides with H. Marshall Ward in the thought that this process has disappeared, not being longer needed by the fungus.—D. G. FAIRCHILD.

FARLOW, W. G. *Notes on Fungi.* Botanical Gazette, August, 1889.

In the last number of the *Botanical Gazette* Dr. Farlow gives an account of a *Cystopus* causing peculiar swellings on the stems of *Ipomœa pandurata*, sent him by Prof. L. H. Pammel from Missouri. It appears from the note that the form of *Cystopus* upon the *Convolvulaceæ* of the United States has hitherto been found wanting in oospores, raising the question whether or not it should be united under *C. cubicus* (Strauss), Lév., which inhabits the *Compositæ*. The specimens sent by Professor Pammel seem to have abounded in peculiar oospores. The oogonia also differed from those of others of the same genus, in having their walls raised in blunt papillæ or short flexuous ridges over the whole surface. Differing as it does in oogonia and oospores from *C. cubicus*, the author thinks it clearly can not be placed under it. The name *C. convolvulaceæarum*, Otth, used by Kellerman and Ellis, is considered, after correspondence with Dr. Fischer, of Berne, as only a manuscript name used by